

Suitable to store vaccines, medicines and laboratory products at 2 °C to 8 °C temperature range. Application could be found at pharmacies, pharmaceutical factories, hospitals, CDC, clinics, laboratories.

Leading technologies for Safer storage and Higher temperature stability.



MC-5L126



## Safe storage

- Microcomputer control;
- Temperature accuracy 0.1 °C;
- Temperature Uniformity +/- 1.5 °C;
- Audible & visual alarm systems;
- Remote alarm contact;
- CFC free, environment friendly;
- High quality coated steel chamber.




## Reliable & Stable performance

- International famous compressor;
- Built-in Air duct;
- DC turbo Fan;
- Patented D+ heat exchange technology;
- LBA forming technology.




## Humanized Design, User Friendly

- LED light;
- Safety lock;
- door self-lock;
- Grip handle;
- Reversible door;
- Adjustable shelves, label holder;
- Porthole;
- Wide voltage range.



## DC Turbo Fan

Decrease noise level by 8% Integrated DC Turbo Fan works with smaller vibration and higher efficiency. Safer for daily use No strong electric component in chamber, safer & more reliable.



## Built-in air duct

Increase the effective interior space by 10% Less interior space occupancy. Built-in air duct plus the Top cooling design, ensure temperature in the top of chamber is cool enough for storage.

# Under counter Pharmacy refrigerator

## ■ LED Display


Display real-time temperature



## ■ LBA Forming Technology

The world's leading fourth generation foaming agent  
 More uniform density, Better insulation, more energy-saving.  
 More reasonable foaming layer design, larger interior storage space.

## ■ Typical Performance Characteristics at 25°C Ambient



Item	Model No.	MC-5L126
<b>Dimensions</b>	Load capacity (40HQ)	153
	Fridge Storage Volume(L)	126
	Product Dimensions(mm)(wxdxh)	595*615*810
	Interior Dimensions(mm)(wxdxh)	505*467*620
	Net/Gross Weight	43/48
<b>Technical data</b>	Cooling Type	Forced air cooling
	Defrost type	No frost
	Climate Class	N
	Refrigerant/Amount(g)	R600a/26g
	Compressor type	Fixed frequency
	Power supply	220-240v/ 50HZ
	<b>Product Performance</b>	Temperature Range
Temperature uniformity/°C		±1
Temperature volatility/°C		2
Temperature Accuracy		0.1
<b>Control</b>		Controller
	Display	LED
<b>Alarms</b>	Power Failure Alarm	Y
	Sensor Failure Alarm	Y
	Ambient Temperature Alarm	N
	Door ajar Alarm	Y
	High Temperature Alarm	Y
	Low Temperature Alarm	Y
	Remote Alarm	Y
	<b>Accessorie</b>	Shelves Qty
Anti-condensation Door		LOW-E glass
Door Self-lock		Y
Reversible door		Y
Cable Port		1
USB		Y
Remote Alarm		Y
RS485 port		N
Printer		Optional
Backup Battery		Y
Backup Battery endurance	24h	

Midea Biomedical Co.,Ltd. Global integrated cold chain solutions supplier

+86-551-62213025 <http://www.midea.com/global/>

Midea Refrigerator Industrial Zone, Zishi Road, Economic & Technological Zone, Hefei, China